

From: [Greg Fife](#)
To: [R6 DWH REOC PSC@EPA](#)
Cc: [Latham, Benjamin](#); [Morgan, Bradley](#); [Bordelon, David](#); [Warr \(Kettler\), Kristie](#); [Fuller, Kris](#); [Matthew Loesel](#); [Bonds, Melissa](#); [Nancy Jones](#); [Paige Delgado](#); [R6 DWH REOC ESC@EPA](#); [R6 DWH REOC PSC@EPA](#); [Gomez, Tori](#)
Subject: RE: FW: Addendum 4.0 to the Water and Sediment Sampling QASP - Liquid Waste Sampling
Date: 06/24/2010 02:00 PM
Attachments: [Paint_Filter_Test.pdf](#)

I have a very hard time believing that our lab cannot run the paint filter test. Its a standard SW-846 method. They have every thing but the paint filters and IN the method are a couple of suggested sources of the elusive paint filters.



▼ RE: FW: Addendum 4.0 to the Water and Sediment Sampling QASP - Liquid Waste Sampling

RE: FW: Addendum 4.0 to the Water and Sediment Sampling QASP - Liquid Waste Sampling 

R6 to: Latham, Benjamin
DWH
REOC
PSC

06/24/2010
01:38 PM

Sent **Paige Delgado**
by:

Cc: "Morgan, Bradley", "Bordelon, David", Greg Fife, "Warr (Kettler), Kristie", "Fuller, Kris", Matthew Loesel, "Bonds, Melissa", Nancy Jones, R6 DWH REOC ESC, R6 DWH REOC PSC, "Gomez, Tori"

Since the QASP says the Houston Lab will run the following analyses: and lists the Paint Filter Test; should we put that one on a separate list since it will go to a different lab? Unless the Houston lab can do it before the samples are collected. For the time being we could say something like:

Samples submitted to a contracted analytical lab (TBD) for the following analysis: Paint Filter Test. (Just a thought).

▼ "Latham, Benjamin" ---06/24/2010 01:04:45 PM---Hi Paige, I've addressed the comments in the attached document. Summary is below:

**RE: FW: Addendum 4.0 to the Water and Sediment Sampling QASP
- Liquid Waste Sampling**

Latham, Benjamin to: Paige Delgado, Morgan, Bradley, Nancy
Jones, Bordelon, David , Greg Fife, Warr
(Kettler), Kristie

06/24/2010
01:04 PM

Cc: "Fuller, Kris", Matthew Loesel, "Bonds, Melissa", R6 DWH REOC ESC, R6 DWH REOC
PSC, "Gomez, Tori"

Hi Paige,
I've addressed the comments in the attached document. Summary is below:

All sampling equipment will be dedicated, no decon will be required. If fluids are generated, they will be containerized, characterized, labeled and properly disposed. Added Paint Filter Liquids test (note that the EPA Houston Lab is not currently set up to perform this test, however, they are looking into it)
Specific nomenclature example has been added for waste samples.

Thanks,
Ben

Benjamin J. Latham

Weston Solutions, Inc.

14160 Dallas Pkwy, Ste. 850

Dallas, TX 75254

469-374-7717 (office)

972-213-6618 (cell)

B.Latham@WestonSolutions.com

From: Delgado.Paige@epamail.epa.gov
[mailto:Delgado.Paige@epamail.epa.gov]
Sent: Thursday, June 24, 2010 11:36 AM
To: Morgan, Bradley; Latham, Benjamin;
Jones.Nancy@epamail.epa.gov; Bordelon, David;
Fife.Greg@epamail.epa.gov; Warr (Kettler), Kristie

Cc: Fuller, Kris; Loesel.Matthew@epamail.epa.gov; Bonds, Melissa;
R6_DWH_REOC_ESC@epamail.epa.gov;
R6_DWH_REOC_PSC@epamail.epa.gov; Gomez, Tori
Subject: Re: FW: Addendum 4.0 to the Water and Sediment Sampling
QASP - Liquid Waste Sampling

There are a few questions and comments to this. I highlighted them in yellow so they are easy to find.

Thanks!

Paige Delgado
Federal On-Scene Coordinator
Prevention and Response Branch (6SF-PO)
U.S. EPA Region VI
Office: 214.665.2724
Cell: 469.371.2529

From: "Morgan, Bradley" <Brad.Morgan@WestonSolutions.com>
To: Matthew Loesel/R6/USEPA/US@EPA, Paige Delgado/R6/USEPA/US@EPA
Cc: R6 DWH REOC PSC@EPA, R6 DWH REOC ESC@EPA, "Gomez, Tori"
<Tori.Gomez@WestonSolutions.com>, "Fuller, Kris" <Kris.Fuller@WestonSolutions.com>, "Bonds, Melissa"
<Melissa.Bonds@WestonSolutions.com>
Date: 06/24/2010 10:38 AM
Subject: FW: Addendum 4.0 to the Water and Sediment Sampling QASP - Liquid Waste Sampling

Here is the latest greatest with field edits included,

Tori please upload to Team Link, and PDF and load to OSC.NET

Thanks,

Brad Morgan
Weston Solutions, Inc.
469) 374.7728 Direct

(972) 9777422 Cell

From: Latham, Benjamin
Sent: Thursday, June 24, 2010 10:37 AM
To: Morgan, Bradley
Subject: FW: Addendum 4.0 to the Water and Sediment Sampling QASP - Liquid Waste Sampling

Benjamin J. Latham

Weston Solutions, Inc.

14160 Dallas Pkwy, Ste. 850

Dallas, TX 75254

469-374-7717 (office)

972-213-6618 (cell)

B.Latham@WestonSolutions.com

From: Latham, Benjamin
Sent: Thursday, June 24, 2010 10:24 AM
To: 'Jones.Nancy@epamail.epa.gov'
Cc: Bordelon, David; Warr (Kettler), Kristie
Subject: RE: Addendum 4.0 to the Water and Sediment Sampling QASP - Liquid Waste Sampling

Updated Addendum 4.0 is attached.

Benjamin J. Latham

Weston Solutions, Inc.

14160 Dallas Pkwy, Ste. 850

Dallas, TX 75254

469-374-7717 (office)

972-213-6618 (cell)

B.Latham@WestonSolutions.com

From: Jones.Nancy@epamail.epa.gov
[<mailto:Jones.Nancy@epamail.epa.gov>]
Sent: Thursday, June 24, 2010 9:25 AM
To: Latham, Benjamin
Subject: Re: Addendum 4.0 to the Water and Sediment Sampling QASP - Liquid Waste Sampling

Do you have the revision ready? Need it asap!

Sent by EPA Wireless E-Mail Services

From: "Latham, Benjamin" [Benjamin.Latham@WestonSolutions.com]
Sent: 06/23/2010 05:38 PM AST
To: "Morgan, Bradley" <Brad.Morgan@WestonSolutions.com>
Cc: Nancy Jones; "Bordelon, David"
<David.Bordelon@WestonSolutions.com>
Subject: RE: Addendum 4.0 to the Water and Sediment Sampling QASP -
Liquid Waste Sampling

I found it.

Thanks,
Ben

Benjamin J. Latham

Weston Solutions, Inc.
14160 Dallas Pkwy, Ste. 850
Dallas, TX 75254
469-374-7717 (office)
972-213-6618 (cell)
B.Latham@WestonSolutions.com

From: Morgan, Bradley
Sent: Wednesday, June 23, 2010 4:31 PM
To: Latham, Benjamin
Cc: jones.nancy@epamail.epa.gov; Bordelon, David
Subject: RE: Addendum 4.0 to the Water and Sediment Sampling
QASP - Liquid Waste Sampling

Yes – It should be on Team Link – I am checking

Brad Morgan

Weston Solutions, Inc.
469) 374.7728 Direct
(972) 9777422 Cell

From: Latham, Benjamin
Sent: Wednesday, June 23, 2010 4:31 PM
To: Morgan, Bradley
Cc: jones.nancy@epamail.epa.gov; Bordelon, David
Subject: RE: Addendum 4.0 to the Water and Sediment Sampling
QASP - Liquid Waste Sampling

Hi Brad,

Is there a MS Word copy of this QASP addendum that I can get, all I have is pdf? I'm updating it with some of the specific items that Greg Fife, Gary

Moore, and others wanted.

Thanks,
Ben

Benjamin J. Latham

Weston Solutions, Inc.

14160 Dallas Pkwy, Ste. 850

Dallas, TX 75254

469-374-7717 (office)

972-213-6618 (cell)

B.Latham@WestonSolutions.com

From: Morgan, Bradley

Sent: Friday, June 18, 2010 1:10 PM

To: 'loesel.matthew@epa.gov'; 'delgado.paige@epa.gov';
'delgado.eric@epa.gov'

Cc: Byrum, Alex; 'Jones.Nancy@epamail.epa.gov';
'moore.gary@epa.gov'; 'zehner.warren@epa.gov'; Bordelon, David;
Latham, Benjamin; Warr (Kettler), Kristie;
'r6_Dwh_REOC_ESC@epa.gov'; 'r6_DWH_REOC_PSC@epa.gov'

Subject: Addendum 4.0 to the Water and Sediment Sampling QASP -
Liquid Waste Sampling

Please see attached, and forward to anyone I missed.

Thanks,



Brad Morgan

I.T. Manager, Client Service Manager I.T.

Weston Solutions, Inc.

14160 Dallas Parkway, Ste 850

Dallas, Texas 75254

(469) 374.7728 Direct

(972) 9777422 Cell

brad.morgan@westonsolutions.com

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you. [attachment "Addendum 4 0 to the Water and Sediment Sampling QASP062410 Draft.doc" deleted by Paige Delgado/R6/USEPA/US]

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you. [attachment "Addendum 4 0 to the Water and Sediment Sampling QASP062410 Draft_Rev1.doc" deleted by Paige Delgado/R6/USEPA/US]